



REVISIONS			
REV	DESCRIPTION	DATE	BY



P/N RAL 7035	P/N RAL 9005	AG	H	GL	 mm	CABLEØ	HOLEØ	AVERAGE AIR FLOW I/H	WATER INTRUSION mbar
13255AA117035	13255AA019005	PG 7	29,0	8,0	19,0	4,0 - 8,0	13,0	70,0	0,1
13256AA117035	13256AA019005	PG 9	33,0	8,0	19,0	4,0 - 8,0	15,5	70,0	0,1

MATERIAL

Cap nut : Polyamide PA6 V2

Sealing ring : TPV

Gland body : Polyamide PA6 V2


O-ring : NBR / EPDM

Vent Part : Acrylic Co-Polymer on Nylon Support
(Hydrophobic-Oleophobic)

Connection thread : PG (DIN 40430)

Protection class : IP68

Temperature range : -20 °C +100 °C -30 +150 °C (short term)

				TITLE PLASTIC VENTILATION GLANDS			
				MATERIAL SEE ABOVE		DATE 06/05/2019	
				COLOR SEE ABOVE		DRAWN R.F.	
PART NUMBER SEE TABLE		DRAWING NUMBER 19.05.06.1325X.0.E		CHECK			
SIZE A4	SCALE NTS	UNIT mm.	REV A	UNLESS OTHERWISE SPECIFIED TOLERANCE			
				APPROVED			